



PlexiDor Performance Pet Doors
Product Catalog



"Our life has been heaven and the reduction in air conditioning bills more than pays for itself in no time. I just can't say enough about how happy we are with the PlexiDor and all that's it done for our 'doggy' boys and us."

Charles and Bonnie Wallace – Weatherford, Texas



For more than 25 years, we have manufactured PlexiDor Performance Pet Doors at our facility in Bradenton, Florida. Throughout our company's history, our product development team has worked closely with pet owners around the World to design and engineer a strong, safe, energy efficient and dependable product designed for years of trouble free use.

A New Era of Innovation

Freedom and Peace of Mind

Your family will enjoy the freedom and peace of mind that a PlexiDor Performance Pet Door will provide. Like freedom from the worry of damage to your floors and carpets. Or, peace of mind knowing your pet will have safe and easy access to the outdoors and the added health benefits of fresh air and exercise. Your pet will love the freedom to relieve themselves when they need to; while you are away at work during the day or without interruption in the evening when you are at home relaxing.

Never Buy Replacement Flaps Again

PlexiDor Pet Doors do not require costly vinyl replacement flaps. The unique shatter resistant dual thermo pane panels open and close with a gentle push and automatically close tight without banging. Each panel has been rigorously tested to withstand the harshest outdoor conditions.

Highest Level of Energy Efficiency

Each PlexiDor is engineered with features designed to save energy. Like dual thermo pane, shatter resistant panels lined with industrial grade weather seal on all four sides – top, bottom, left and right. The panels are designed to reduce air conditioning and heat loss. So whether you live in the hot desert climate of Arizona or in the frigid cold of Alaska, PlexiDor will save you money every month. Your pet will love the quiet, smooth and safe doors and you'll love seeing a lower energy bill.

Added Security Features

PlexiDor Performance Pet Doors come with a lock, key and steel security plate. Simply turn the key to lock the door at night. And when leaving for an extended period or while on vacation, add the steel security plate. No other pet door provides the security of a PlexiDor Performance Pet Door.

Color Choices for Your Living Space

PlexiDor offers three elegant colors to compliment your home; Silver, White, or Bronze. White and Bronze frame finishes are baked on the interior and exterior frames for increased durability which hold up better than a plastic frame or painted surface. A PlexiDor Pet Door is by far the best looking pet door you will ever install in your home.



PlexiDor Performance Pet Doors is an American Pet Association Approved Product

PlexiDor Energy Savings

Installing a PlexiDor Performance Pet Door into your home could save you as much as 10% off your energy bill.



Each time you open the door to let your dog out, your **HEATING** and **COOLING** escapes. This means you pay more for your energy every month! Installing a PlexiDor can save you money! Review the chart below to determine your estimated annual savings.

Your Average Monthly Energy Bill:	Annual Amount Spent	5 Year Total	5% Savings	7% Savings	10% Savings *
€100	€1,200	€6,000	€300	€420	€600
€150	€1,800	€9,000	€450	€630	€900
€200	€2,400	€12,000	€600	€840	€1,200

** Average total savings in 5 years / 60 months*

Saving 10% per month could save you **€900** in just 5 years.

Above estimate is based on:

An average spring/summer temperature of between 80 and 100 degrees with a household cooling temperature of 72 degrees.

An average fall/winter temperature of between 32 and 45 degrees with a household temperature of 72 degrees.

Above results typical of PlexiDor owners and are based on 25+ years of Worldwide customer testimonials.

Actual results may vary based on household insulation, roof and window type, age and size of home.

Doors Open and Close Easy

Large and small pets can use the same door. Panels open smoothly with a gentle push and close automatically. Heavy duty springs are concealed within the main frame. Doors close quietly without banging. Won't disturb you or frighten your pet.

See-Through Shatter Resistant Panels

Rigid, high-impact, shatter-resistant panels do not require costly vinyl replacement flaps. Panels are insulated, lightly tinted yet see-through creating a window for your pet.

Highest Energy Efficiency

Panels are molded to form a "dual thermo-pane" effect for excellent insulation. Both panels are lined on all four sides with high-density nylon pile weather seal to provide superior draft-control. Doors close tight keeping the heating and cooling inside your home. Saves money on your energy bill every month. Ideal for extreme climates.

Heavy Duty Hardened Aluminum Frames

Anodized aluminum interior and exterior frames won't rust, bend, crack, or warp. Attractive silver finish, baked-on white or bronze finish. Extremely durable and look great in your home.



Secure with Cylinder Lock and Steel Security Plate

Keeps out unwanted guests. Insert the key to lock or unlock the door. Apply the steel security plate when leaving for an extended period.

The PlexiDor Performance Advantage

- ▶ Never purchase replacement flaps again
- ▶ Highest energy efficiency saves money on your energy bill every month
- ▶ Secure with lock and steel security plate
- ▶ Peace of mind
- ▶ Freedom for both you and your pet
- ▶ Enjoy undisturbed sleep or uninterrupted family or TV time
- ▶ No more accidents or mess
- ▶ Manufactured in the USA

30 Day Money Back Guarantee

If you are not completely satisfied with your purchase, just return it to the dealer where you purchased it from and they will refund the purchase price without VAT. Shipping charges are not refundable.



5 Year Residential Warranty

PlexiDor is covered by a 5 year limited residential warranty. Any defective part will be repaired or replaced without expense including standard shipping service for 5 years from date of purchase. Labor is not covered.



White Finish

The aluminum trim prevents damage to the panels from chewing which sometimes occurs with larger dog breeds.



"I've had one of your extra-large PlexiDors for several years and I love it. After having had several other cheaper doors, this door is absolutely worth every penny."

Lewis Mills – Jefferson City, Missouri

Item	Frame Colors	Opening Dimensions	Cut Hole	Overall Dimensions
PD DOOR XL	Silver/White/Bronze	406 mm x 603 mm	457 mm x 635 mm	520 mm x 679 mm
PD WALL XL	Silver/White/Bronze	406 mm x 603 mm	470 mm x 673 mm	520 mm x 730 mm

Dogs up to 45 kg

PlexiDor Large

PlexiDor Pet Doors do not require costly vinyl replacement flaps. The unique shatter resistant dual thermo-pane plexiglass panels open and close with a gentle push and automatically close tight without banging. Each panel is lined around all four edges with snug fitting, high density, industrial nylon pile weather seal to provide superior draft-control. When closed, the panels reduce air conditioning and heat loss.



Silver Finish



"I have had your PlexiDor for several years now. Here in Las Vegas our summer heat exceeds 115 degrees. In the summer, your doors allow the entry way to remain cool and keep the dust under control."

Michael Bialac - Las Vegas, Nevada

So whether you live in the hot desert climate of Arizona or in the frigid cold of Alaska, PlexiDor will save you money every month. Your pet will love the smooth, quiet and safe doors and you'll love seeing a lower energy bill.

Item	Frame Colors	Opening Dimensions	Cut Hole	Overall Dimensions
PD DOOR LG	Silver/White/Bronze	298 mm x 406 mm	362 mm x 451 mm	419 mm x 489 mm
PD WALL LG	Silver/White/Bronze	298 mm x 406 mm	368 mm x 483 mm	419 mm x 540 mm

PlexiDor**Top Swing**

Chewing Dogs under 45 kg



Silver Finish

For dogs weighing, or soon to be weighing, up to 45 kg that like to chew, PlexiDor has the solution.

The PlexiDor PD TS Single Panel Top Swing features a single top swing plexiglass panel equipped with aluminum chew proof trim.



The half-inch wide chew proof trim is factory installed on the inner and outer edges of the panel.

"We love this door and so does our seven month old Cairn Terrier MacDuff. We really are impressed with how well the door seals itself. There is absolutely no draft. We have not found a product even closely comparable in Canada. This is truly an exceptional product and the best investment we have made! Thank you."

Val Berreth & Ian McIntosh – Calgary, Alberta, Canada

Item	Frame Colors	Opening Dimensions	Cut Hole	Overall Dimensions
PD TS DOOR LG	Silver/White/Bronze	337 mm x 406 mm	362 mm x 489 mm	419 mm x 521 mm
PD TS WALL LG	Silver/White/Bronze	337 mm x 406 mm	362 mm x 489 mm	419 mm x 521 mm

Dogs up to 18 kg

PlexiDorMedium

Your family and your pet will enjoy the freedom and peace of mind that a PlexiDor Performance Pet Door will provide. Like freedom from the worry of damage to your floors and carpets. Or, peace of mind knowing your pet will have safe and easy access to the outdoors and the added health benefits of fresh air and exercise.



Bronze Finish



"Though your PlexiDor comes with only a 5 year warranty, I want to let you know how good it is: 14 years with no problem! It was the right choice then, and I think it would be the right choice for anyone who buys a PlexiDor today."

Maureen O'Connell
North Redding, Massachusetts

Your pet will love the freedom to relieve themselves when they need to; while you are away at work during the day or without interruption in the evening when you are at home relaxing.

Item	Frame Colors	Opening Dimensions	Cut Hole	Overall Dimensions
PD DOOR MD	Silver/White/Bronze	229 mm x 305 mm	292 mm x 343 mm	349 mm x 394 mm
PD WALL MD	Silver/White/Bronze	229 mm x 305 mm	302 mm x 387 mm	349 mm x 445 mm

PlexiDorSmall

Cats up to 11 kg and Dogs up to 4 kg



White Finish

A single panel design, PD SMALL units open from left to right with precision smoothness. Even the smallest kitten or puppy can easily push open the door.

All four edges of the single plexiglass panel are equipped with the same high density, industrial nylon pile weather seal as the larger units and provides the same level of energy efficiency.

The spring loaded 4-way lock can be set to IN ONLY, OUT ONLY, IN AND OUT or LOCKED. Simply turn the knob to set. PD SMALL units do not come with a steel security plate.



"Our life has been heaven and the reduction in air conditioning bills will more than pay for itself in no time. I just can't say enough about how happy we are with the PlexiDor and all it's done for our pets and us."

Charles and Bonnie Wallace
Weatherford, Texas

Item	Frame Colors	Opening Dimensions	Cut Hole	Overall Dimensions
PD DOOR SM	Silver/White/Bronze	165 mm x 184 mm	216 mm x 216 mm	254 mm x 254 mm
PD WALL SM	Silver/White/Bronze	165 mm x 184 mm	213 mm x 257 mm	254 mm x 305 mm

PlexiDor Electronic Pet Door

When the pet door application at your home requires the ultimate in convenience and security, the PlexiDor PDE Electronic Pet Door is the choice of pet owners Worldwide. The composite panel slides up and down like a mini electronic garage door and acts as a security door when inactive.

Using state-of-the-art RFID technology, the sensor reads the pre-programmed code to automatically open and close for your pet only — keeping other animals outside.

The waterproof collar key weighs just 11 gramm and snaps onto your pet's collar. The unit is adjustable to control how long the door remains open. The PlexiDor PDE plugs into a standard household outlet or can be hardwired. Easy to program and even easier to use, the PlexiDor PDE will provide years of enjoyment for your family and pet.



White Finish

"Our PlexiDor electronic dog door is the best purchase I've ever made — our labs love it. We are selling our house, and it's the first thing I put into the seller's disclosure to keep! The buyer wants the dog door so much that we had to agree to sell it with the house and buy another! I'm happy another dog gets to enjoy it."

Sarah Gantt - Dallas, Texas

Accommodates Dogs up to 56 kg and all Cats.

Item	Frame Colors	Opening	Cut Hole	Interior	Exterior
PDE DOOR LG	White/Bronze	324 mm x 508 mm	362 mm x 546 mm	435 mm x 1387 mm	432 mm x 610 mm
PDE WALL LG	White/Bronze	324 mm x 508 mm	362 mm x 584 mm	435 mm x 1387 mm	432 mm x 660 mm

PD WALL units can be installed into stud, brick, block or cement walls up to 30 cm thick.



Aluminum Tunnel

The bottom tunnel section is sloped to prevent water from entering. The tunnel will not rust, has no sharp edges and is easy to keep clean.



Each wall unit includes an aluminum tunnel that connects the interior and exterior frame. The tunnel materials ensure a professional fit and finish that provides a quality appearance for your home.



Exterior View(outside of home)



Interior View(inside of home)

The PlexiDor WALL Unit won't rust, has no sharp edges and is easy to clean.

Producing a safe and secure dog door for you and your family is our highest priority. Each door comes with a lock and key and added steel security plate making it virtually impossible for an intruder to enter your home.

Lock and Key

PlexiDor PD DOOR and PD WALL units come with a lock and two keys. The lock features a steel cam inside a hardened metal cylinder. Just turn the key to lock or unlock the door and keep unwanted guests from entering your home.

Steel Security Plate

The steel security plate is included with each PD DOOR or PD WALL unit and can be installed when leaving your home for an extended period. If using the security plate daily, purchase the PlexiDor Sliding Track with Flip Lock accessory for added convenience.



Steel Security Plate Installed



Sliding Tracks with Flip Lock

Accessory for Steel Security Plate

Whether you leave your home for an extended period or want added security every day, the sliding track accessory makes it easy. Simply attach the left and right tracks to the interior frame and slide the steel security plate down the track into place.



Security plate slides into place



Secure the plate with the handy flip lock feature and you're finished. Tracks are made of strong, durable aluminum. Choose from Silver, White or Bronze in sizes Medium, Large or Extra Large. Hardware included, installs in minutes.

Pet Door Awning

The PlexiDor Awning prevents rain, sun, snow and wind from entering through a pet door. This attractive and durable awning is made of aluminum with a baked-on finish. It is a one size fits all design for the PD DOOR, PD WALL, PDE DOOR and WALL units.

The dimensions are: 59 cm deep by 42 cm wide. Available in White (Item: AWNING WH) or Bronze (Item: AWNING BR). Installation instructions are included with each unit.



PlexiDor Frequently Asked Questions

What are the differences between a vinyl flap door and a PlexiDor Performance Pet Door?

Vinyl flap doors (“mud flaps”) require replacement of the flap when they wear out, sometimes once or twice a year. The flap may turn yellow, dry out or crack and eventually fall apart. Some dogs will chew the flap. Vinyl replacement flaps cost anywhere from \$10 to \$100 depending on the size and manufacturer. Most flap doors use magnets to attach the flap to the plastic frame. If the flap shrinks from UV sunlight, the magnets may not connect and seal the opening properly, which will increase the cost of heating and cooling your home.

Will a pet door compromise the security of my home?

PlexiDor comes equipped with a lock and 2 keys plus a steel security plate. You can lock the door from the inside whenever you like and attach the steel security plate when leaving your home for extended period. Since the interior and exterior frame of the PlexiDor is hardened aluminum, this adds strength to the entire design and makes it virtually impossible for an intruder to get past. The small PlexiDor unit for cats and small dogs up to 9 pounds does not come with a security plate since the opening is so small and an intruder cannot fit through it. PlexiDor also manufactures a sliding track accessory that screws into the interior frame and makes it easy to apply the steel security plate.

Where in my home can a PlexiDor pet door be installed?

PlexiDor pet doors can be installed in doors, walls or a sliding glass patio panel. Wall units can be installed into a wall up to 12 inches thick and come with an aluminum tunnel kit that connects the interior and exterior frame. Chances are if you already own another brand of pet door, the existing cut opening can be used to install the PlexiDor with only minor modification.

Is it difficult to teach my dog to use the pet door?

Most pets learn in 5 seconds to 5 days. To help your pet get comfortable using the PlexiDor, try propping open one side and entice your pet through with a treat. Do this several times in succession. Then close the pet door and entice the pet through several more times. For dogs, all of this is usually accomplished in 20 minutes or less. Cats may take a little longer. For an added incentive with cats it is best to put something they want on the other side of the pet door, like their food bowl or litter box.

Call Your Local Dealer:



Eb-örző Kft

Plexidor of Hungary and Eastern Europe

4033 Debrecen

György Street 16/B

Hungary

Phone number: 00 (36) 30 656 1470

E-mail: hudraotto@plexidor.hu



www.PlexiDors.com



© 2012 PDUSA, Inc. All rights reserved. (8/12) Printed in USA. PC02
Specifications, appearance and features of items in this catalog may change without notice.

Share this catalog with a friend.